

Healthcare Communications for today... and tomorrow.

# TekTone®

## SOUND & SIGNAL



*Tek-CARE*® 700  
wander management system

# Tek-CARE<sup>®</sup> 700

## wander management system

The Tek-CARE<sup>®</sup>700 Wander Management System gives Alzheimer's, dementia and other at-risk residents the ability to move freely about your facility while receiving the protection they need. It allows staff to easily manage residents who might otherwise wander off or stray into dangerous areas, without impeding the movement of staff and visitors.



Tek-CARE<sup>®</sup>700 provides resident ID, loiter and door-ajar monitoring, low tag battery and several more alerts. It runs on our proprietary Tek-BRIDGE<sup>®</sup> server, which can connect simultaneously to any TekTone<sup>®</sup> nurse call system and a variety of foreign systems, such as fire alarm and security systems.

The Tek-BRIDGE<sup>®</sup> displays alarms, calls, events and messages from all connected systems at once. Plus, up to nine networked PCs can view all system events as they occur using our exclusive Remote Event Monitor software.

The Tek-CARE<sup>®</sup>700 system includes a door controller and keypad next to each monitored door, and a magnetic switch mounted to the door and doorframe. A maglock can be added to automatically lock the door when a resident is nearby.

The door controller emits a wireless transmit field, and when a resident wearing a wireless tag enters the transmit field, the door controller detects the tag. An alarm is displayed on the Tek-BRIDGE<sup>®</sup> and remote event monitors, plus Tek-CARE<sup>®</sup>400 nurses' master stations. The Tek-BRIDGE<sup>®</sup> and remote event monitors can also display the resident's name, photo, and other custom information.

Depending upon configuration, the system will also automatically sound an alarm, lock the door, deactivate elevator doors, and flash lights. Alarms clear automatically when residents leave the transmit field. To escort a resident through the door, the staff member enters a reset code into the keypad to clear the alarm and unlock the door.


Door controllers can monitor almost any type of building egress, including single and double doors, elevator doors, and automatic doors. In addition, a PIR motion detector can be used to monitor entire hallways, elevator lobbies, or other open spaces.

Our long-life wireless resident tags are securely attached to comfortable, easy-to-clean, water-resistant adjustable wrist bands. A pulsing red LED provides continuous visual indication that the tag is active. Unused tags can be turned off when not in use to conserve battery power. Bands are made of nylon-reinforced vinyl to resist tearing, but can be removed with a pair of scissors.




# User Interface

Easily assign tags to residents using the Tek-BRIDGE® server or any TekTone® remote event monitor. Changes are instantaneous and very easy to implement. A unified, simple interface makes learning to use the system quick and straightforward.




# Management Reporting



The Tek-BRIDGE® server includes our Tek-CARE® Reporting Software. Use the software to create activity reports for the Tek-CARE®700—plus any connected system, including resident wander, nurse call, and alert integration.

Reports can be filtered by device, time and day, location and event type, and are easily exported to a spreadsheet. Administrative team members can create reports from any computer on your facility's network. Reports can also be created and emailed to selected recipients automatically.


# Staff Devices



Smart phones, wireless telephones, pagers and email output can be easily integrated with your system to ensure that the right staff member receives the right event notification at the right time.

# Wireless Integration

Your Tek-CARE®700 Wander Management System can also support wireless devices such as pendant transmitters, assistance switches, and much more.



# Tek-CARE®700 Components



Tek-BRIDGE®  
running  
Tek-CARE®700  
software



resident tag



asset tag



door controller



indoor keypad



outdoor keypad



annunciator with  
touchscreen and  
keypad



annunciator with  
touchscreen and  
reset button



Secure Tag  
Activator/  
Deactivator  
(STAD-N)



maglock



PIR motion  
detector



pager



fire panel interface



elevator deactivation kit

**Your TekTone® Dealer**



TekTone®'s quality system is registered by UL® to the ISO 9001 standard. (Reference #10001510.)  
277 Industrial Park Road • Franklin, NC 28734 • [tektone@tektone.net](mailto:tektone@tektone.net)  
Phone: (800) 327-8466 or (828) 524-9967 • Sales: option 2 • Tech Support: option 3  
[www.tektone.com](http://www.tektone.com)

